

10 Steps to Handle Small Gasoline Spills

You're steam cleaning the shop floor when you accidentally knock over a 5-gallon can of gasoline near the welding booth. Do you know what to do? To prevent a small spill from turning into a dangerous incident, follow these steps:

1. Stay calm.
2. Warn the welders. Sound the emergency alarm or let someone know to immediately notify the welders to stop welding and stop any other operation that generates sparks.
3. Clear all unprotected personnel from the spill area. (Evacuation is only required for large spills which involve danger to personnel. This will be determined by a trained and competent person on site.)
4. If the spill involves fire, immediately follow your shop's fire reporting procedures.
5. Remove all sources of ignition such as open flames, hot surfaces and electrical, static or frictional sparks.
6. Put on the proper personal protective equipment (PPE), such as splash-proof goggles, face shields, gloves and correct respirators before attempting any spill control actions. The minimum required protection is acid resistant gloves, splash-proof goggles and a respirator. Ask your supervisor for additional PPE requirements.
7. Ventilate spilled areas and stop or contain the leak/spill source (if it is a bulk storage). Attempt this only if you can do it without risk.
8. Use a pump or absorbent materials to collect the spilled gasoline into an approved container until it can be disposed of safely.
9. Wash spilled areas with detergent and water to reduce slipping hazards. Ensure that no

contaminated water is introduced into the sewage system. Collect the water in approved drums for disposal.

10. If a spill involves battery electrolytes or acids containing lead or other heavy metals, collect the residue in approved drums for proper disposal. (Do not flush it into the sewage system.)

If you're in doubt of the proper method to contain the spill, evacuate the area and contact your supervisor for assistance.

When a spill occurs, keep your cool and take care of it, before it turns into something unmanageable.

QUIZ

1. In the event of a gasoline spill, you should immediately panic.
 - ☐ True
 - ☐ False
2. Welders should be warned immediately of a gasoline spill.
 - ☐ True
 - ☐ False
3. It doesn't matter how large the gasoline spill; all personnel must be evacuated.
 - ☐ True
 - ☐ False
4. Possible sources of ignition include only open flames, but not static electricity.
 - ☐ True
 - ☐ False
5. The minimum personal protective equipment required for handling a gasoline spill includes which of the following?
 - a. appropriate gloves
 - b. splash-proof goggles
 - c. a respirator
 - d. all of the above
6. Spilled areas should be ventilated and leak sources should be contained no matter what the risk.
 - ☐ True
 - ☐ False
7. To reduce slipping hazards, spilled areas should be washed with detergent and ____?
8. Spilled gasoline should be collected by either a pump or absorbent material and disposed of in the sewage system.
 - ☐ True
 - ☐ False
9. Collected spilled gasoline and contaminated water should be stored in an approved container until they can be disposed of safely.
 - ☐ True
 - ☐ False
10. If you don't know how to contain a spill, you should evacuate the area and get help from your supervisor immediately.
 - ☐ True
 - ☐ False

AFTER THE TALK- *CHECKLIST*

LOCATION: _____

- ## NOTES

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

6. False
7. Water
8. False
9. True
10. True

ATTENDANCE

[illegible]

INSTRUCTOR: _____ **DATE:** _____

SAFETY TALK: _____